



PA PROMIS*e*TM

EDIaaS Communication Plan for Fee-For-Service

The Pennsylvania (PA) PROMIS*e*TM EDI as a Service (EDIaaS) Communication Plan details what is required by Trading Partners for registration and the X12 batch file naming standard, contains guidelines for Trading Partners on how to create certain segments within an X12 batch file, and provides the response files returned to Trading Partners who submit X12 batch files using EDIaaS to PROMIS*e*TM for processing.

Table of Contents

Registration	3
Batch File Naming Standard.....	4
Batch File Creation Guidelines	5
Batch File Creation - Delimiter characters	5
Batch File Creation - Interchange and Application Sender ID and Receiver ID	5
Batch File Creation - Functional Group Header and Trailer	6
Batch File Creation - GS/GE segments.....	6
Batch File Creation - Removal of leading and trailing zero	7
Batch File Creation - Non-printable characters	7
Batch File Creation - Ending segment syntax	8
Batch File Creation - ISA segment	8
Batch File Creation - Loop 2000B, SBR segment	9
Batch File Creation - Loop 2010AA, N3 segment.....	9
Batch File Creation - Loop 2100C, NM1 segment	9
Batch File Creation - Loop 2310A, NM1 segment	10
Batch File Creation - Loop 2320, SBR segment	10
Batch File Creation - Loop 2400, LX segment	10
Batch File Creation - IEA segment.....	11
Response Files returned to Trading Partners.....	12
References	14

Registration

The PA PROMISe™ EDIaaS Communication Plan details what is required by Trading Partners for registration.

Trading Partners seeking to submit Fee-For-Service (FFS) batch transactions to PROMISe™ for processing will need to first contact the PROMISe™ EDI Helpdesk (email: promise_edi_helpdesk@gainwelltechnologies.com) to receive their new passwords and transaction submission instructions as part of the registration process.

PROMISe™ EDI Helpdesk is recommending FFS Trading Partners to email the Helpdesk for registration.

As part of the registration process, the Trading Partner will need to provide the following information to the PROMISe™ EDI Helpdesk.

1. Current 9-digit Sender ID for Production.
2. Current 9-digit Sender ID for UAT.
3. Current 13-digit Provider ID/Service Location in Production and UAT.
 - a. Also referred to as Submitter ID/Service Location.
4. Contact name.
5. Contact phone number.
6. Contact email address.
7. Contact street address.

Trading Partners will be required to register with the PROMISe™ EDI Helpdesk before being allowed to submit batch transactions.

For Interactive transactions. Trading Partners will continue to submit using their Value Added Network (VAN). VANs will register with the EDIaaS team to allow interactive transactions submitted by Trading Partners through VANs to PROMISe™ for processing.

Batch File Naming Standard

The PA PROMISe™ EDIaaS Communication Plan details the X12 batch file naming standard.

[New requirement] X12 batch files uploaded by Trading Partners and submitted by EDIaaS to PA PROMISe™ for processing are not use special characters before the filename extension. The alphanumeric characters which are allowed to be used before the filename extension are 0-9, a-z, and A-Z.

Improper Filename Example

270-INPUTFILE20250301.x12

276_INPUTFILE20250301.x12

837 InputFile20250301.x12

Proper Filename Example

270INPUTFILE20250301.x12

276INPUTFILE20250301.x12

837InputFile20250301.x12

Batch File Creation Guidelines

The PA PROMISe™ EDIaaS Communication Plan contains guidelines for Trading Partners on how to create certain segments within an X12 batch file.

Batch File Creation - Delimiter characters

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [New requirement].

A delimiter is a character (*, ^, :, ~) used to separate two data elements or component elements or to terminate a segment. The delimiters are an integral part of the data. These delimiters are not to be used in a data element value elsewhere in the batch file [1-5, pg. B.5-B.6].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Character name delimiter are:

- * Asterisk Data Element Separator
- ^ Carat Repetition Separator
- : Colon Component Element Separator
- ~ Tilde Segment Terminator

Batch File Creation - Interchange and Application Sender ID and Receiver ID

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

SENDER ID is the same ID in both the Interchange Sender ID ISA06 and Application Sender's Code GS02 segments [1-5, pg. C.3, C.4, C.7].

RECEIVER ID is the same ID in both the Interchange Receiver ID ISA08 and Application Receiver's Code GS03 segments [1-5, pg. C.3, C.5, C.7].

Proper Syntax Example

```
ISA*00*.....*01*SECRET*ZZ*SENDER*ZZ*  
RECEIVER*250301*1253*^*00501*000000905*1*T*:~  
GS*XX*SENDER*RECEIVER*20250301*0802*1*X*005010X...~
```

Batch File Creation - Functional Group Header and Trailer

For 270 and 276 X12 batch file submission [New requirement].

For 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

Trading Partners are recommended when submitting multiple transactions in a single batch transaction to break up each transaction within different ST/SE pair transaction sets.

GS Functional Group Header, starts a group of related transaction sets.

ST Transaction Set Header, starts a transaction set.

LS Loop Header, starts a bounded loop of data segments but is not part of the loop.

NLS Loop Header, starts an inner, nested, bounded loop.

NLE Loop Trailer, ends an inner, nested bounded loop.

LE Loop Trailer, ends a bounded loop of data segments but is not part of the loop.

SE Transaction Set Trailer, ends a transaction set.

GE Functional Group Trailer, ends a group of related transaction sets [1-5, pg. B.16-B.17].

The control segment of this standard must have a nested relationship as is shown, the letters preceding the control segment name are the segment identifier for that control segment. The indentation of segment identifiers shown below indicates the subordination among control segments [1-5, pg. B.16].

More than one ST/SE pair, each representing a transaction set, may be used within one GS/SE pair functional group. Also more than one LS/LE pair, each representing a bounded loop, may be used within one ST/SE pair transaction set [1-5, pg. B.17].

Batch File Creation - GS/GE segments

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

Functional Group Header Control Number GS06 cannot contain leading zero. GS06 must be identical to the Functional Group Trailer Control Number GE02. Data element Number of Transaction Sets Included GE01 indicates the number of transaction sets within the functional group. The count of the transaction sets is kept while interpreting the functional group, this count is then verified with data element GE01. GS06 must be unique within a single transmission (that is, within a single ISA to IEA enveloping structure) [1-5, pg. B.20-B.21].

EDIaaS will return a HTML file and no 999 file to the Trading Partner in this situation because this is a full file interchange failure.

Improper Syntax Example

GS*XX*SENDER*RECEIVER*20250301*0800*01*X*005010X CODE~

GE*1*1~

GS*XX*SENDER*RECEIVER*20250301*0800*1*X*005010X CODE~

GE*1*01~

Proper Syntax Example

GS*XX*SENDER*RECEIVER*20250301*0800*1*X*005010X CODE~

GE*1*1~

Batch File Creation - Removal of leading and trailing zero

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

For 835 X12 batch file retrieval [New requirement].

The decimal point always appears in the character stream if the decimal point is at any place other than the right end. If the value is an integer (decimal point at the right end) the decimal point must be omitted. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) must not be transmitted [1-5, pg. B.8].

Leading zeros must be suppressed unless necessary to satisfy a minimum length requirement. Trailing zeros following the decimal point must be suppressed unless necessary to indicate precision. The use of triad separators (for example, the commas in 1,000,000) is expressly prohibited. The length of a decimal type data element does not include the optional leading sign or decimal point [1-5, pg. B.8].

Example

A transmitted value of 12.34 represents a decimal value of 12.34

A transmitted value of 02.34 represents a decimal value of 2.34

A transmitted value of 00.34 represents a decimal value of .34

A transmitted value of 12.30 represents a decimal value of 12.3

A transmitted value of 12.00 represents a decimal value of 12

Batch File Creation - Non-printable characters

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [New requirement].

Non-printable characters are not to be included as field values for segments in the incoming X12 batch file.

This is a unique situation with the input data where the non-printable characters submitted passed EDIaaS compliance and generate an accepted 999. However, the non-printable characters cause a failure in the EDIaaS translation resulting in no HTML and no EXT to be created and none of the transactions in the batch file are processed.

Improper Syntax Example

REF*G3*[Null]~

Proper Syntax Example

REF*G3*123456~

Batch File Creation - Ending segment syntax

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [New requirement].

Proper syntax for the ending segment when submitting transactions to PA PROMISe™ is to end with only ~ (Tilde Segment Terminator).

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Improper Syntax Example

NM1*85*1*SMITH*JOHN*B****XX**~

NM1*85*1*SMITH*JOHN*B****XX*~

Proper Syntax Example

NM1*85*1*SMITH*JOHN*B****XX*1234567890~

NM1*85*1*SMITH*JOHN*B****XX~

Batch File Creation - ISA segment

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

Acknowledgment Requested ISA14 in ISA – Interchange Control Header segment determines if EDIaaS returns an TA1 file after a batch file is submitted.

Acknowledgement Requested ISA14 set to 0 - No Interchange Acknowledgment Requested and 1 - Interchange Acknowledgment Requested (TA1) [1-5, pg. C.6].

Batch File Creation - Loop 2000B, SBR segment

For 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

Loop 2000B, SBR – Subscriber Information segment.

Claim Filing Indicator Code SBR09 is required to be submitted [3, pg. 113], [4, pg. 110-111], [5, pg. 118].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Improper Syntax Example

SBR*A*18*1001* Subscriber*005~

Proper Syntax Example

SBR*A*18*1001* Subscriber*005*****MB~

Batch File Creation - Loop 2010AA, N3 segment

For 837 Dental, Institutional, and Professional X12 batch file submission [New requirement].

837D 2010AA N3 segment – Billing Provider Address

837I 2010AA N3 segment – Billing Provider Address

837P 2010AA N3 segment – Billing Provider Address

The Billing Provider Address must be a street address. Billing Provider mailing address with the text such as “Post Office Box”, “PO Box”, “P.O. Box” or “Lock Box” are not to be sent in Loop 2010AA N3 segment [3, pg. 86], [4, pg. 87], [5, pg. 91].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Batch File Creation - Loop 2100C, NM1 segment

For 270, 276 X12 batch file submission [Best practice].

270 Loop 2100C, NM1 – Subscriber Name segment when Identification Code NM109 is submitted the code is required to be a minimum 2 to a maximum of 80 alphanumeric [1, pg. 96].

276 Loop 2100C, NM1 – Provider Name segments when Identification Code NM109 is submitted the code is required to be a minimum 2 to a maximum of 80 alphanumeric [2, pg. 128].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Batch File Creation - Loop 2310A, NM1 segment

For 837 Dental, Institutional, and Professional X12 batch file submission [New requirement].

Loop 2310A, NM1 – Referring Provider Name segment.

Entity Type Qualifier NM102 only valid value is 1 – Person. No other values are to be submitted [3, pg. 191], [4, pg. 320], [5, pg. 258].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Batch File Creation - Loop 2320, SBR segment

For 837 Dental, Institutional, and Professional X12 batch file submission [Best practice].

Loop 2320, SBR – Other Subscriber Information segment.

Name SBR04 may not be submitted if Reference Identification SBR03 is submitted [3, pg. 223], [4, pg. 356], [5, pg. 297].

Name SBR04 is required to be submitted if SBR Reference Identification SBR03 is not submitted [3, pg. 223], [4, pg. 356], [5, pg. 297].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Batch File Creation - Loop 2400, LX segment

For 837 Dental, Institutional, Professional X12 batch file submission [New requirement].

Loop 2400, LX – Service Line Number segment begins with the number 1 and is incremented by 1 for each additional service line of a claim [3, pg. 281], [4, pg. 423], [5, pg. 350].

EDIaaS will return a HTML file to the Trading Partner in this situation and the related transactions in the batch file will reject.

Improper Syntax Example

LX*01~

For multiple occurrences of Loop 2400, LX segment

LX*1~

LX*3~

LX*5~

Proper Syntax Example

LX*1~

For multiple occurrences of Loop 2400, LX segment

LX*1~

LX*2~

LX*3~

Batch File Creation - IEA segment

For 270, 276, 837 Dental, Institutional, and Professional X12 batch file submission [New requirement].

Non-printable or additional characters are not to be included after the end of the IEA - Interchange Control Trailer segment.

This is a unique situation with the input data where the non-printable or additional characters submitted passed EDIaaS compliance and generate an accepted 999. However, these characters cause a failure in the EDIaaS translation resulting in no HTML and no EXT to be created and none of the transactions in the batch file are processed.

Improper Syntax Example

IEA*1*000000905~[Null]

IEA*1*000000905~[Space]

IEA*1*000000905~[Alphanumeric]

Proper Syntax Example

IEA*1*000000905~

Response Files returned to Trading Partners

The PA PROMISe™ EDIaaS Communication Plan provides the response files returned to Trading Partners (MCO Plan) who submit Fee-For-Service X12 batch files using EDIaaS to PROMISe™ for processing.

Fee-For-Service Batch 270/271, 276/277 Response Transactions

- ERROR (EDIaaS Authorization custom file)
 - ERROR file replaces the ZZZ Modified Implementation Acknowledgment for Health Care file.
- TA1 Interchange Acknowledgment for Health Care
 - TA1 file is an optional means of receiving a reply to an X12 batch file that has been sent for translation.
- 999 Implementation Acknowledgment for Health Care
 - 999 file is returned to confirm that a X12 file was received and indicate if the submitted transactions passed standard level syntax and structure editing.
 - 999 file includes information about whether transactions rejected.
- HTML (EDIaaS Compliance Error Code custom file)
 - HTML file provides compliance errors translated into a readable HTML format.
 - HTML file contains all the errors for each rejected transaction.
- EXT (EDIaaS Transaction Status custom file; filename extension is lowercase ext)
 - EXT file contains transaction data based on the HIPPA 5010 standard along with the status of Accepted or Rejected for each transaction translated by EDIaaS.
- 271 Health Care Eligibility Benefit Response
 - Response file for the submitted 270 Health Care Eligibility Benefit Request.
- 277 Health Care Claim Status Response
 - Response file for the submitted 276 Health Care Claim Status Request.

Based on the translation of the submitted X12 batch file certain response files will be returned to the Trading Partner.

- Submitted X12 batch file generated an authorization error.
 - ERROR file is returned.
- All transactions in the submitted X12 batch file were Accepted during translation.
 - TA1 (optional), 999, 271 or 277, and EXT are returned.
- All transactions in the submitted X12 batch file were Rejected during translation.
 - TA1 (optional), 999, HTML, and EXT are returned.
- Transactions in the submitted X12 file were Accepted and Rejected during translation.
 - TA1 (optional), 999, HTML, 271 or 277, and EXT are returned.

Fee-For-Service Batch 837 Dental, Institutional, Professional Response Transactions

- ERROR (EDIaaS Authorization custom file)
 - ERROR file replaces the ZZZ Modified Implementation Acknowledgment for Health Care file.
- TA1 Interchange Acknowledgment for Health Care
 - TA1 file is an optional means of receiving a reply to an X12 batch file that has been sent for translation.
- 999 Implementation Acknowledgment for Health Care
 - 999 file is returned to confirm that a X12 file was received and indicate if the submitted transactions passed standard level syntax and structure editing.
 - 999 file includes information about whether transactions had errors.
- 277CA Health Care Claim Acknowledgment
 - 277CA file is an acknowledgement of all accepted and rejected transactions processed during translation from the 837 X12 batch file.
- HTML (EDIaaS Compliance Error Code custom file)
 - HTML file provides compliance errors translated into a readable HTML format.
- EXT (EDIaaS Transaction Status custom file; filename extension is lowercase ext)
 - EXT file contains transaction data based on the HIPPA 5010 standard along with the status of Accepted or Rejected for each transaction translated by EDIaaS.

Based on the translation of the submitted X12 batch file certain response files will be returned to the Trading Partner.

- Submitted X12 batch file generated an authorization error.
 - ERROR file is returned.
- All transactions in the submitted X12 batch file were Accepted during translation.
 - TA1 (optional), 999, 277CA, and EXT are returned.
- All transactions in the submitted X12 batch file were Rejected during translation.
 - TA1 (optional), 999, 277CA, HTML, and EXT are returned.
- Transactions in the submitted X12 file were Accepted and Rejected during translation.
 - TA1 (optional), 999, 277CA, HTML, and EXT are returned.

References

- [1] ASC X12N/00501X279 Health Care Eligibility Benefit Inquiry and Response (270/271), Based on Version 5, Release 1; ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 (TR3), April 2008. www.wpc-edi.com
- [2] ASC X12N/005010X212 Health Care Claim Status Request and Response (276/277), Based on Version 5, Release 1; ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 (TR3), August 2006. www.wpc-edi.com
- [3] ASC X12N/005010X224 Health Care Claim: Dental (837), Based on Version 5, Release 1; ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 (TR3), May 2006. www.wpc-edi.com
- [4] ASC X12N/005010X223 Health Care Claim: Institutional (837), Based on Version 5, Release 1; ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 (TR3), May 2006. www.wpc-edi.com
- [5] ASC X12N/005010X222 Health Care Claim: Professional (837), Based on Version 5, Release 1; ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 (TR3), May 2006. www.wpc-edi.com

Every effort has been made to ensure consistency between this document and the X12 TR3 also known as an X12 Implementation Guide (IG). However, if there is a discrepancy between the documents, the X12 TR3 is the final authority.

The X12 TR3 that details the full requirements for these transactions can be licensed at <https://x12.org/licensing>.